

DAFTAR PUSTAKA

- Aboushady, R. M., & El-saidy, T. M. K. (2016). Effect of Home based Stretching Exercises and Menstrual Care on Primary Dysmenorrhea and Premenstrual Symptoms among Adolescent Girls Effect of Home Based Stretching Exercises and Menstrual Care on Primary Dysmenorrhea and .. *Journal of Nursing and Health Science*, 5(2), 10–17. <https://doi.org/10.9790/1959-0502054757>
- Bahrudin, M. (2018). Patofisiologi Nyeri (Pain). *Saintika Medika*, 13(1), 7. <https://doi.org/10.22219/sm.v13i1.5449>
- Brown, J., & Brown, S. (2017). Exercise for dysmenorrhoea. *Cochrane Database of Systematic Reviews*, 2017(2). <https://doi.org/10.1002/14651858.CD004142.pub3>
- Ernawati Sinaga, Nonon Saribanon, S., Nailus Sa'adah, Ummu Salamah, Y. A. M., & Agusniar Trisnamiati, S. L. (2017). manajemen kesehatan menstruasi. In עלון הנושא (Vol. 66, pp. 37–39). Universitas Nasional IWWASH Global One.
- Fatmawati, M., Riyanti, E., & Widjanarko, B. (2016). Perilaku Remaja Puteri Dalam Mengatasi Dismenore (Studi Kasus Pada Siswi Smk Negeri 11 Semarang). *Jurnal Kesehatan Masyarakat (e-Journal)*, 4(3), 1036–1042.
- Gamit, K., Sheth, M., & Vyas, N. (2014). The effect of stretching exercise on primary dysmenorrhea in adult girls. *International Journal of Medical Science and Public Health*, 3(5), 549. <https://doi.org/10.5455/ijmsph.2014.210220142>
- Jaibunnisha, Gomathi, B., & Goerge, U. (2017). Effect of Selected Muscle Stretching Exercises on Primary Dysmenorrhoea among Student Nurses. In *International Journal of Nursing Education* (Vol. 9, Issue 3, p. 69). <https://doi.org/10.5958/0974-9357.2017.00073.3>
- Kannan, P., Chapple, C. M., Miller, D., Claydon, L. S., & Baxter, G. D. (2015). Menstrual pain and quality of life in women with primary dysmenorrhea: Rationale, design, and interventions of a randomized controlled trial of effects of a treadmill-based exercise intervention. *Contemporary Clinical Trials*, 42, 81–89. <https://doi.org/10.1016/j.cct.2015.03.010>
- Kanwal, R., Masood, T., Awan, W. A., & Baig, M. S. (2017). *Original Article Effectiveness of Stretching Exercises in Symptomatic and Asymptomatic Phase in Primary Dysmenorrhoea*. 13(2), 6–10.

- Kim, S. D. (2019). Yoga for menstrual pain in primary dysmenorrhea: A meta-analysis of randomized controlled trials. *Complementary Therapies in Clinical Practice*, 36(December 2018), 94–99. <https://doi.org/10.1016/j.ctcp.2019.06.006>
- Lau, W. Y. (2014). *Pain assessment and possible mechanism of delayed onset muscle soreness*. <https://ro.ecu.edu.au/theses/1275>
- Manurung. (2015). efektivitas yoga terhadap nyeri dismenore pada remaja. *Cybrarians Journal*, 2(37), 1–31. <https://doi.org/10.12816/0013114>
- Mihm, M., Gangooly, S., & Muttukrishna, S. (2011). The normal menstrual cycle in women. *Animal Reproduction Science*, 124(3–4), 229–236. <https://doi.org/10.1016/j.anireprosci.2010.08.030>
- Motahari-Tabari, N., Shirvani, M. A., & Alipour, A. (2017). Comparison of the effect of stretching exercises and mefenamic acid on the reduction of pain and menstruation characteristics in primary dysmenorrhea: A randomized clinical trial. *Oman Medical Journal*, 32(1), 47–53. <https://doi.org/10.5001/omj.2017.09>
- Nadjib Bustan, M., Seweng, A., & Ernawati. (2018). Abdominal Stretching Exercise in Decreasing Pain of Dysmenorrhea among Nursing Students. *Journal of Physics: Conference Series*, 1028(1). <https://doi.org/10.1088/1742-6596/1028/1/012103>
- Nasution, M. K. M. (2017). Penelaahan Literatur. *Research Gate*, December 2017, 7. <https://doi.org/10.13140/RG.2.2.31169.45926/1>
- Petraglia, F., Bernardi, M., Lazzeri, L., Perelli, F., & Reis, F. M. (2017). Dysmenorrhea and related disorders. *F1000Research*, 6(0), 1–7. <https://doi.org/10.12688/f1000research.11682.1>
- S Saleh, H., & E Mowafy, H. (2016). Stretching or Core Strengthening Exercises for Managing Primary Dysmenorrhea. *Journal of Womens Health Care*, 05(01). <https://doi.org/10.4172/2167-0420.1000295>
- Shah, S., Verma, N., Begani, P., Nagar, H., & Mujawar, N. (2016). Effect of Exercises on Primary Dysmenorrhoea in Young Females. *International Journal of Physiotherapy and Research*, 4(5), 1658–1662. <https://doi.org/10.16965/ijpr.2016.155>

- Shirvani, M. A., Motahari-Tabari, N., & Alipour, A. (2017). Use of ginger versus stretching exercises for the treatment of primary dysmenorrhea: a randomized controlled trial. *Journal of Integrative Medicine*, 15(4), 295–301. [https://doi.org/10.1016/S2095-4964\(17\)60348-0](https://doi.org/10.1016/S2095-4964(17)60348-0)
- Sutar, A., Paldhikar, S., Shikalgar, N., & Ghodey, S. (2016). “Effect of aerobic exercises on primary dysmenorrhoea in college students.” *IOSR Journal of Nursing and Health Science*, 05(05), 20–24. <https://doi.org/10.9790/1959-0505052024>
- Vaziri, F., Hoseini, A., Kamali, F., Abdali, K., Hadianfard, M., & Sayadi, M. (2015). Comparing the effects of aerobic and stretching exercises on the intensity of primary dysmenorrhea in the students of universities of bushehr. *Journal of Family & Reproductive Health*, 9(1), 23–28. <http://www.ncbi.nlm.nih.gov/pubmed/25904964> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC4405513>
- Wahyuni, Yuliawahidah, S. (2020). *Manfaat Active Stretching Exercise untuk menurunkan Dismenore Primer*. 190–196. <https://jom.unri.ac.id/index.php/JOMPSIK/article/view/21161/20477>
- Wahyuni, marinda amelia. (2016). *pengaruh latihan pilates terhadap hamper dysmenorrhea utama pada lama 18-21 tahun remaja*. 413–417.